

CERRAPACA S.L.

Lattice Tower Antenna Mounts and Cable Support

www.cerrapaca.com

Antenna Mounting Solutions & accessories



Introductory catalogue

INTRODUCTION

Who we are

Cerrapaca is a Spanish company dedicated to the manufacturing and sales of metal component for telecommunication networks located in the industrial area of "La cantueña". For 30 years we have offered a wide range of metal products and telecommunication cable supports. Our professionalism is back by our years of work in the sector, the effectiveness of our products, and the training of our professionals.

Product list

You can consult our list of articles online, request a quote or make an order. We are happy to answer your questions at all times, and we can also make non-binding offers. From your working drawing and specifications, we are able to make all types of metal support.

Manufacturing

Check the items listed on our website and contact us to view our availability. If you can not located the item you are looking for, please contact us through our e-mail info@cerrapaca.com or by calling to the telephone number +34 91 621 49 97. Our team of highly qualified professionals are happy to help and advise you at any time.

Sales


We provide material with minimal lead time and quality guaranteed. Ask for a quote via info@cerrapaca.com or provide us with your company's details and our professional team will contact you as soon as possible.

Main Customers



INDEX

	PAGE
MOUNTING SOLUTIONS.....	4
RRU & RRH SUPPORTS.....	12
FEEDER CABLE CLAMP.....	15
ACCESORIES.....	16
MOUNTING SYSTEMS	18
SOLAR MOUNTING SYSTEMS.....	20



Angle leg tower - mounting solution


- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Angle leg tower - mounting solution

Mounting solution for Telecom tower suitable to
0,3 - 0,9 antennas

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



Angle leg tower - mounting solution


- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Angle leg tower - mounting solution

Mounting solution for Telecom tower suitable to 0,3 - 0,9 antennas

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



Angle leg tower - mounting solution


- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Angle leg tower - mounting solution

Mounting solution for Telecom tower suitable to 0,3 -
0,9 antennas

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



Angle leg tower - mounting solution

- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Angle leg tower - mounting solution

Mounting solution for Telecom tower suitable to
1,2m antennas

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



Angle leg tower - mounting solution

- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Face mounting solution

Face mounting solutions suitable to
0,3-0,9m antenas

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



Angle leg tower - mounting solution

- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Face mounting solution

Face mounting solutions suitable to
1,2m antennas

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



Wall mounting solution



- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Wall mount solutions

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support

TORNILLERIA	
DENOMINACION	CANT.
TUERCA M12	24
ARANDELA M12	12
VARILLA ROSCADA M12x300	6
TUERCA M10	16
ARANDELA M10	8
VARILLA ROSCADA M10x250	4




Ring mount solution

- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Ring mount solutions

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



Tripod mounts for Rac y Rae


- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Tripod mounts for RRU y RRH

Tripod for 3 remote radio transceiver

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



Tripod mounts for Rac y Rae

- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Tripod mounts for RRU y RRH

Tripod for 6 remote radio transceiver

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



Face mounts for Rac y Rae

- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Face mounting solution

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support

CERRAPACA S.L. Lattice Tower Antenna Mounts and Cable Support	FEEDER CABLE CLAMPS 
---	--

CERRAPACA, S.L. Avda. de la Industria nº 11 P.I.La Cantueña 28947 Fuenlabrada (Madrid) Tfno: 91.642.06.43 Fax: 91.642.23.65 www.cerrapaca.com

Feeder cable clamps - Angle leg tower

- Features
 - Plastic Material: Polypropylene
 - Metal Material Stainless Steel
 - Nuts, bolts & washers included
- Uses: in outdoors industrial, rural, marine and aggressive environme

Feeder cable clamps - Rejiband Cable Tray

- Features
 - Plastic Material: Polypropylene
 - Metal Material Stainless Steel
 - Nuts, bolts & washers included
- Uses: Regiband cable tray

FEEDER CABLE CLAMPS

Models available

- 1/2" Feeder clamps
- 7/8" Feeder clamps
- RG8-RG214 Feeder clamps
- Power and fiber optic cable feeder clamp
- 15/8 Feeder clamps



Power and fiber optic cable feeder clamp - Angle leg tower



1/2" Feeder clamps - Rejiband Cable Tray



RG8-RG214 Feeder clamps - Rejiband Cable Tray



7/8" Feeder clamps - Angle leg tower

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

CERRAPACA S.L.

Lattice Tower Antenna Mounts and Cable Support

ACCESSORIES

AENOR

Empresa Registrada
ER-1449.12.00

CERRAPACA, S.L. Avda. de la Industria nº 11 P.I.La Cantueña 28947 Fuenlabrada (Madrid) Tfno: 91.642.06.43 Fax: 91.642.23.65 www.cerrapaca.com

Accessories

- .-Metallic cable tie - plastic coated
- .-Copper earth clamp
- .-Aluminium earth clamp
- .-Cable clamp with cable tie - Angle leg tower
- .-Cable clamp with cable tie - Rejiband Cable Tray
- .-Isolated cable clamps
- .-Earth terminal for rejiband cable tray

Copper earth clamp



Cable clamp with cable tie - Angle leg tower



Earth terminal



Cable clamp with cable tie - Rejiband Cable Tray



Metallic cable tie - plastic coated



Copper strip with nylon



*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail




Mount for concrete slab

- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail


Mount for concrete slab

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



Mount with adjustable legs - Oven-painted

Detachable mount with adjustable legs



Detachable mount with adjustable legs

- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.


*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Mount with adjustable legs

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



920x920mm Roof mount



Detachable Mount



1600x1600mm Roof mount



Detable mount por 1,2 antennas

Roof Mounts solutions

- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail

Roof Mounts solutions

Non Penetrating Roof Mounts



CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support



Solar panel mount for mast



Solar panel mount for mast



Solar panel mount for roof

Roof Mounts solutions

- Finish:
 - Hot Dip Galvanized in a zinc bath at a temperature of 450-460°C, according to UNE EN ISO 1461 standard.
- Uses:
 - In outdoors industrial, rural, marine and aggressive environments
- Nuts, bolts & washers:
 - Hot galvanized Screws, washers, and nuts are included.

*If you have any questions or wish to make any suggestions, please contact us via telephone or e-mail


SOLAR PANEL MOUNTING SYSTEM

CERRAPACA S.L.
Lattice Tower Antenna Mounts and Cable Support

CERRAPACA S.L.

Lattice Tower Antenna Mounts and Cable Support

www.cerrapaca.com



CERRAPACA S.L.

Avenida de la Industria nº 11

P.I. La Cantueña, 28947

Fuenlabrada (Madrid) Phone:

91.642.49.97 - Fax: 91.642.23.65

www.cerrapaca.com

E-Mail:

info@cerrapaca.com

pedidos@cerrapaca.com

